L Number	Hits	Search Text	DB	Time stamp
1	(7)	slam\$dunk.as.	USPAT;	2004/05/20 17:39
			US-PGPUB; EPO; JPO; DERWENT;	
2	( <u>)</u>	gopal-ganesan\$.in.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/20 17:39
3	(2)	ananthanarayanan-kannan\$.in.	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/20 17:40
4	8	'rengarajan-tiru\$.in.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/20 17:40
5	9874	<pre>((replica\$4 or duplicat\$4 or copy\$4 or mirror\$) near6 (message or email or e-mail or electronic adj mail))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/20 17:45
6	140796	<pre>(transmit\$ or send\$) near4 (message or email or e-mail or mail or electronic adj mail)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/20 17:46
7	606507	<pre>(two or multiple or plural\$ or dual of duplicate or parallel) near5 (path or link or route or channel)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/20 17:47
8	2335	((transmit\$ or send\$) near4 (message or email or e-mail or mail or electronic adj mail)) with ((two or multiple or plural\$ or dual of duplicate or parallel) near5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/20 17:49
11	53	(path or link or route or channel)) (((replica\$4 or duplicat\$4 or copy\$4 or mirror\$) near6 (message or email or e-mail or electronic adj mail)) ) same (((transmit\$ or send\$) near4 (message or email or e-mail or mail or electronic adj mail)) with ((two or multiple or plural\$ or dual of duplicate or parallel) near5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 17:49
14	38	(path or link or route or channel))) ((((replica\$4 or duplicat\$4 or copy\$4 or mirror\$) near6 (message or email or e-mail or electronic adj mail)) ) same (((transmit\$ or send\$) near4 (message or email or e-mail or mail or electronic adj mail)) with ((two or multiple or plural\$ or dual of duplicate or parallel) near5 (path or link or route or channel)))) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 17:50
18	(25)	(@ad<20000414 or @prad<20000414) ((((replica\$4 or duplicat\$4 or copy\$4 or mirror\$) near6 (message or email or e-mail or electronic adj mail)) ) same (((transmit\$ or send\$) near4 (message or email or e-mail or mail or electronic adj mail)) with ((two or multiple or plural\$ or dual of duplicate or parallel) near5 (path or link or route or channel)))) and (@ad<20000414 or @prad<20000414) and (database or archive or store)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 17:51

L Number	Hits	Search Text	DB	Time stamp
-	664	(track\$ near message) and (@prad<20000414 or @ad<20000414)	USPAT;	2004/05/17 13:48
		01 640<20000414)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	(3)	(track\$ near message) and (@prad<20000414 or @ad<20000414) and ((router or switch)	USPAT;	2004/05/17 14:09
		with (database or archive or repository))	US-PGPUB; EPO; JPO;	
		and (web adj server)	DERWENT;	
			IBM_TDB	
-	(22)	(track\$ with message) and (@prad<20000414 or @ad<20000414) and ((router or switch)	USPAT; US-PGPUB;	2004/05/17 15:23
		with (database or archive or repository))	EPO; JPO;	
		and (web adj server)	DERWENT;	
_	302	/8nmad<20000414 on Rod<20000414) and	IBM_TDB	0004/05/17 15 06
-	302	(@prad<20000414 or @ad<20000414) and ((router or switch) with (database or	USPAT; US-PGPUB;	2004/05/17 15:26
		archive or repository)) and (web adj	EPO; JPO;	
		server)	DERWENT;	
1_	(91)	/8pmpd<20000414 an And<20000414) and	IBM_TDB	0004/05/17 15 00
		(@prad<20000414 or @ad<20000414) and ((router or switch) with (database or	USPAT; US-PGPUB;	2004/05/17 15:28
		archive or repository)) and (web adj	EPO; JPO;	
		server) and ((monitor\$ or track\$) with	DERWENT;	
		<pre>(message or email or e-mail or (electronic adj mail)))</pre>	IBM_TDB	
-	/2"	(router or switch) same (web adj server)	USPAT;	2004/05/19 11:57
		same (relational adj database) and	US-PGPUB;	
		(@prad<20000414 or @ad<20000414)	EPO; JPO;	
			DERWENT; IBM TDB	
_	139	(router or switch) same (web adj server)	USPAT;	2004/05/19 11:57
		same database and (@prad<20000414 or	US-PGPUB;	
		@ad<20000414)	EPO; JPO; DERWENT;	
			IBM TDB	
-	73	(router or switch) with (web adj server)	USPĀT;	2004/05/19 11:57
		same database and (@prad<20000414 or @ad<20000414)	US-PGPUB;	
		ead<20000414)	EPO; JPO; DERWENT;	
	$\sim$		IBM_TDB	
-	(35)	(router or switch) with (web adj server)	USPĀT;	2004/05/19 16:06
		with database and (@prad<20000414 or @ad<20000414)	US-PGPUB; EPO; JPO;	
			DERWENT;	
	222		IBM_TDB	
-	3981	(router or switch) with (archive or database or repository) and	USPAT;	2004/05/19 16:06
		(@prad<20000414 or @ad<20000414)	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	604	(router or quitab) near (archive ar	IBM_TDB	2004/05/10 16 17
_	004	(router or switch) near (archive or database or repository) and	USPAT; US-PGPUB;	2004/05/19 16:15
		(@prad<20000414 or @ad<20000414)	EPO; JPO;	
			DERWENT;	
_	173	(router) near (archive or database or	IBM_TDB USPAT;	2004/05/10 16:07
	1,2	repository) and (@prad<20000414 or	US-PGPUB;	2004/05/19 16:07
		@ad<20000414)	EPO; JPO;	
			DERWENT;	
_	$\left  \right $	(router) near (archive ) and	IBM_TDB USPAT;	2004/05/19 16:07
		(@prad<20000414 or @ad<20000414)	US-PGPUB;	2001,00,15 10.07
			EPO; JPO;	
			DERWENT;	
_	173	(router) near (archive or database) and	IBM_TDB USPAT;	2004/05/19 16:14
		(@prad<20000414 or @ad<20000414)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
L	L		TEM IND	<u></u>

			16.15
		USPAT;	2004/05/19 16:15
	(router or switch) near (archive or	US-PGPUB;	1
	database or repository) and database or repository) and	EPO; JPO;	
-	database or repository) and database or repository and (@prad<20000414 or @ad<20000414) and (@prad<20000415 or 705/40.ccls. or	DERWENT;	
	(@prad<20000414 or @ad<20000417, (709/201,206.ccls. or 705/40.ccls. or	IBM TDB	2004/05/20 11:18
	(709/201,200.0001) 707/104.1.ccls.) or send\$) near	USPAT;	2004/05/20 11.15
	707/104.1.ccls.)  ((transmits or routs or sends) near  ((transmits or routs or controller)	US-PGPUB;	1
1_	((transmits or routs or sendy) node ((transmits or routs or sendy) message) same ((manager or controller) message) same ((manager or stors)) and (billing or stors))	EPO; JPO;	
	message) same ((manager or controlling or with (database or stor\$)) and (billing or with (database or stor\$))		
	with (database or stor\$)) and (billing with (database or stor\$)) and (billing or with (database or stor\$)) and (cost) and (@prad<20000414) or @ad<20000414) cost) and (@prad<20000415 or 705/40.ccls. or	IBM_TDB	
	cost) and (@prad<20000414 or ead<20000 or and (709/201,206.ccls. or 705/40.ccls. or and (709/201,206.ccls.)	I	2004/05/20 11:22
	707/104.1.ccls.)	USPAT;	2004/03/20 20
1	1 o 11//transmits of rough to	US-PGPUB;	1
-	((transmit\$ or rout\$ or send) noted with message) same ((router or switch) with web) and (billing or cost) and (relational web) and (billing or cost) and (relational web) and (prad<20000414 or	EPO; JPO;	
	lueb) and (DIIIIII) - 100000414 or	DERWENT;	
	web) and (billing or cost, discounting or cost, dis	IBM_TDB	
	(ad<20000414) and (709/201,200.0021		2004/05/20 11:24
	1705/40.ccis. 01 /0//20	USPAT;	1
1	705/40.ccls. or 707/104.1.cd)  ((transmit\$ or rout\$ or send\$) near  ((transmit\$ or rout\$ or switch) with web	) US-PGPUB;	
-	((transmit\$ or rout\$ or send\$) hear message) and ((router or switch) with web message) are (relational adj	EPO; JPO	·
	message) and ((router of butter) and (billing same (relational adj	DEVAPRATI	1
	(database)) and (epida in	IBM_TDB	2004/05/20 11:27
1	10ad<20000414)	USPAT;	1
	265 ((transmits or routs of switch) same (we	eb US-PGPUB EPO; JPO	(. )
-	((transmit\$ or rout\$ or send\$) hear (we message) and ((router or switch) same (we message) and (Aprad<20000414 or	DERWENT;	′′
	(adi server)) and (cr-	IBM_TDB	1 !
}	@ad<20000414)	USPAT;	2004/05/20 13:09
1	151 ((transmit\$ or rout\$ or send\$) near		3:
	((transmit\$ or rout\$ or send\$) hear message) and ((router or switch) with (with message) and (manad<20000414 or	EPO; JPO	0;
	message) and ((router of 3%1000), adj server)) and (@prad<20000414 or	DERWENT	;
	adj server/ and (1)   ead<20000414)	IBM TDB	
	@ad<20004147	USPAT;	2004/05/20 11:30
1	((transmit\$ or rout\$ or send\$) near		В;
-	((transmit\$ or rout\$ or sends) hear message) and ((router or switch) with (message) and (Aprad<20000414 or	EPO; JP	0;
	message) and ((router of sites)) and (@prad<20000414 or adj server)) and (@prad<200.00416 or adj server)	DERWENT	·;
		IBM TDE	, i
	@ad<20000414) and (707/104.1.ccls.) 705/40.ccls. or 707/104.1.sends) near	(USPAT)	2004/05/20 11:33
1	705/40.ccls. or 707/104.1.  (32) ((transmit\$ or rout\$ or send\$) near  (32) ((transmit\$ or rout\$ or switch) with (		JB;
{ -	((transmit\$ or rout\$ or send\$) hear message) and ((router or switch) with (	EPO; JI	20;
1		I DERMEN.	Γ;
	database) and (epiac 2000000000000000000000000000000000000	IBM_TD	B 2004/05/20 12:58
	(ead<20000414)	USPAT;	1
	(2) ((web adj server) with story adj database	US-PGP	UB;
-	message) and (relational day)	EPO; J	
	message) and (relational subject of message) and (gprad<20000414 or @ad<20000414)	( DERWEN	
		IBM_TD	
	95 (expand\$) same (relational adj datab	ase) USPAT;	
_	95 (expand\$) same (refactional and (@prad<20000414) and (@prad<20000414)	US-PGE	TPO:
1	and (@prad<20000414 Of Cas =	EPO;	
		DERWEN	25
		IBM_TI	
	( expand\$) with ( relational adj datak	uspat us-PG	, ,
-	(expand\$) with (relational day and (@prad<20000414) and (@prad<20000414)	EPO;	JPO:
	and (Ghrad, 2000)	DERWE	NT:
}		IBM_T	DD CO
		USPAT	
	((transmit\$ or rout\$ or send\$) near		
-	and ((router or swream)	EPO;	JPO:
	lulianiam ada datandati/ diiv	DERWE	
	(@prad<20000414 or @ad<20000414)	IBM 7	rDB
	(CP244		